

**GERKIN RHINO SERIES** | ALUMINUM WINDOWS & PATIO DOORS

COMMERCIAL

RESIDENTIAL

REMODEL







## Why Gerkin?

Since 1932, our primary focus has been to manufacture energy-saving window and door products. In 1989, we started to conceptualize and design our Rhino Commercial Aluminum window and door series. Today, we have several commercial window styles in the Rhino line. We are one of the few commercial aluminum window companies that offers a product line diverse enough to supply windows for schools, medical clinics, offices, motels, strip malls, loft apartments and modern homes.

For more information about Rhino® Series aluminum windows and doors visit [gerkin.com](http://gerkin.com).





## Product Gallery

Stringent product testing and innovative design have allowed our products to evolve as market and consumer needs change. We have several commercial window styles and a patio door in the Rhino line. Our Rhino family consists of a commercial horizontal slider, casement, single hung, double hung, hopper, awning, fixed and a patio door. Each Rhino window reflects the design and manufacturing expertise we've implemented over the years.



# Slider

Gerkin has manufactured sliders longer than any other window type. We confidently offer one of the tightest sliders available on the market. With twin weather seals, two interlocks, corner gaskets and closely monitored quality control, these windows perform at a .06 air infiltration or better! Our stainless steel ball-bearing rollers allow these windows to roll with incredible ease.

For more information about Rhino® Series aluminum windows and doors visit [gerkin.com](http://gerkin.com).





## Single Hung

Our single hung offers great performance and smooth operation. The 5900 has block and tackle balances, a tilt-in sash, recessed tilt latches, automatic sill locks and dual pull rails. Our air infiltration is an amazingly low .03! This great performance is enhanced with features like a sloped sill, dual weather-stripping and a center interlock.



# Double Hung

The 5800 double hung is one of the newest windows in the Rhino family. This window was tested and can be built to the size of 60" x 99". The air infiltration rate is an amazing .03! Features of the double hung include a 4 5/16" frame, block and tackle balances with an ultra lift option, 1" insulated glass and a tilt sash operation. Both sashes operate and automatically lock into position when closed. Standard options include nail fins, panning and three finishes - white paint, dark bronze and clear anodized.

For more information about Rhino® Series aluminum windows and doors visit [gerkin.com](http://gerkin.com).





Copyright – Extraordinary Homes

## 58F

The 58F series offers a great alternative to storefront systems. We have designed this window to look like storefront but offer superior thermal performance, water resistance and air infiltration. The 58F is capable of meeting Energy Star specifications in all climate regions with our standard LoE glass. Our quality and performance is superior to storefront because we build and glaze our windows completely in our climate-controlled factory and not outdoors on the job site.



# Casement

The Gerkin 5300 casement and 5500 fixed windows are designed with performance in mind. The air infiltration on our casement is often better than our competitors' fixed windows. These windows perform so well in NFRC thermal tests that they have been used in 5-Star Green Build projects, Net Zero housing and numerous LEED certified projects.

For more information about Rhino® Series aluminum windows and doors visit [gerkin.com](http://gerkin.com).





## Awning

The 5100 awning windows along with our 5500 fixed windows have been popular for high-end condominium projects as well as many municipal and office buildings. These windows perform at a very high level in air infiltration, water resistance and thermal performance. One of the key options we offer is factory mulling, which allows us to combine windows such as hopper, awning, casement and fixed windows.



# Hopper

The 5200 Rhino hopper window is a project-in window that is ideal for single or multi-story commercial projects. This window features a 2 3/8" thermally broken frame depth, reinforced power crimped sash corners and a sash that overlaps the frame allowing for one of the tightest windows on the market.

These integrated features reduce heating and cooling loads on HVAC systems, provide long-term energy efficiency, as well as utility savings to property owners.

For more information about Rhino® Series aluminum windows and doors visit [gerkin.com](http://gerkin.com).





## Sliding Glass Door

The new model 5400 sliding patio door is a great product for the commercial market as well as for the modern home design market. We offer different styles and sizes for these doors.

This door has an AAMA rating of LC-45 at the 72" X 80" size and LC-40 at the 96" X 96" size. The door is completely manufactured and assembled in our plant as opposed to KD doors that are assembled in the field.

The 5400 is a perfect mate for the 58F fixed window. Both have the same frame depth and can be mullied together for walls of glass windows and doors.



# Testing

We go to great lengths to make sure our Rhino Series Aluminum window and door products are the best they can be. Our products are tested by independent laboratories to ensure quality and performance. Our windows and doors are rated and certified by The American Architectural Manufacturers Association (AAMA) and the National Fenestration Rating Council (NFRC).







**GERKIN™**  
WINDOWS & DOORS

P.O. BOX 3203

SIOUX CITY, IA 51102

PHONE: 402.494.6000

FAX: 402.494.6765

TOLL FREE: 800.475.5061



[gerkin.com](http://gerkin.com)